

DIRECTIONS FOR USE

DO NOT SWALLOW

 **1 HEAPED TEASPOON = 5g**

Repeat application every week for 2 to 3 weeks.

Ground Application

Mix 5g (1 teaspoon) to 5 Litres
Coverage: 25sq m

Foliar Application

Mix 5g (1 teaspoon) to 5 Litres

Spray evenly over foliage.
DO NOT apply in direct sunlight.

Borax Analysis
1% Boron (B) present as Sodium Borate

BARCODE
9315138003122

CAUTION

**KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS**

Searles®

BORAX
(BORON)

Aids in fruit & flower quality
Develops growing tissue in plants
Corrects Boron deficiency

500g

BORON DEFICIENCY

Boron is important for tissue development in plants, pollination and quality of flowers, fruit and in seed set.

Boron deficiency occurs more often in dry weather, soils lacking in organic material and alkaline soils, or those that have been limed heavily.

Deficiency symptoms may include:

- Yellowing (death) of growing points.
- Distortion and cracking of stems.
- Thickening, twisting of roots
- Dropping of buds or blossoms.
- Brown sunken areas on fruit.
- Lateral buds/leaves thicken and curl.

SAFETY DIRECTIONS: Avoid contact with food. Avoid contact with clothing.

FIRST AID: For advice, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

J.C. & A.T. SEARLE PTY LTD
4914 D'Aguilar Hwy, Kilcoy,
QLD, Australia. 4515. (07) 5422 3000
www.searlesgardening.com.au

PACKAGED IN AUSTRALIA



Please Recycle
Check your local recycling service for suitability.